EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(receiv\$3 calculat\$3) near4 (data signal) near4 stream and (train\$3 teach\$3) near4 detector and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 22:27
S1	27358	(receiv\$3 calculat\$3) near4 data near4 stream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 18:10
S2	63	(receiv\$3 calculat\$3) near4 data near4 stream and (train\$3 teach \$3) near4 detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 22:26
S3	0	("2005/0096866").URPN.	USPAT	OR	OFF	2006/03/15 18:16
S4	2	(receiv\$3 calculat\$3) near4 data near4 stream and (train\$3 teach \$3) near4 detector and sensitivity near4 parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 22:27
S5	2	(receiv\$3 calculat\$3) near4 (data signal) near4 stream and (train\$3 teach\$3) near4 detector and sensitivity near4 parameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 22:32
S6	84	(receiv\$3 calculat\$3) near4 (data signal) near4 stream and (train\$3 teach\$3) near4 detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 22:27
S7	58	(receiv\$3 calculat\$3) near4 (data signal) near4 stream and (train\$3 teach\$3) near4 detector and ((sensitivity near4 parameter) threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 22:42
S8	4	(receiv\$3 calculat\$3) near4 (data signal) near4 stream and (train\$3 teach\$3) near4 detector near4 ((sensitivity near4 parameter) threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 22:38
S9	3	(receiv\$3 calculat\$3) near4 (data signal) near4 stream and (train\$3 teach\$3) near4 detector and ((sensitivity near4 parameter) threshold)and plurality near4 sequence\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 23:23

S10	838	(receiv\$3 calculat\$3) near4 (data signal) and (train\$3 teach\$3) near4 detector and ((sensitivity near4 parameter) threshold)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 23:24
S11	3	(receiv\$3 calculat\$3) near4 (data signal) and (train\$3 teach\$3) near4 detector and ((sensitivity near4 parameter) threshold) and 702/179.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 23:30
S12	33	(receiv\$3 calculat\$3) near4 (data signal) and (train\$3 teach\$3) near4 detector and ((sensitivity near4 parameter) threshold) and "702"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:15
S13	2	data with stream\$3 with train\$4 with sensitivit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:15
S14	2	data with stream\$3 with train\$4 same sensitivit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:16
S15	147	data with train\$4 with sensitivit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:16
S16	2	data with train\$4 with sensitivit\$3 same stream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:16
S17	2	data with (train\$4 or teach\$4) with sensitivit\$3 same stream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:17
S18	1	data with model with sensitivit\$3 same stream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:17
S19	0	data with model with sensitivit\$3 with stream	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:17
S20	470	data with model with sensitivit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:17

S21	4	data with model with sensitivit\$3 with sequenc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:18
S22	14	data with flow\$3 with model with sensitivit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:18
S23	10	data with struct\$3 with model with sensitivit\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:19
S24	1	data with struct\$3 with model with sensitivit\$3 adj2 (value or paramet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:19
S25	210	data with stream\$3 with sensitivit \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:20
S26	3	data with stream\$3 with sensitivit \$3 with (teach\$4 or learn\$4 or train\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:20
S27	20	data with stream\$3 with responsive with (teach\$4 or learn \$4 or train\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:21
S28	15	data with stream\$3 with train\$4 with responsive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:22
S29	183	data with stream with sensitivit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:22
S30	661011	data with stream with sensitivit\$4 wotj (teach or train\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:23
S31	661558	data with pattern with sensitivit\$4 wotj (teach or train\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:23

	.,					
S32	2	data with stream with sensitivit\$4 with (teach or train\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:23
S33	10	data with pattern with sensitivit\$4 with (teach or train\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:29
S34	6	("20040190438" "6107919" "20030074169").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/14 14:30
S35	567204	(history or historical or previous or prior or slope or trend or pattern or sequence or sequential or signature or trace or traced or tracing or trail or pipe or pipeline or chain or chained or chaining or string or strung or stringing) near3 (interval or period or time or snapshot or periodic or periodically)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:18
S36	139089	S35 near5 (measure or measured or measuring or measurement or test or tested or testing or monitor or monitored or monitoring or capture or captured or capturing or detect or detected or detecting or detection or detecter or detector or sense or sensed or sensing or sensor or senser or transduce or transduced or transducing or transducer or sample or sampled or sampling or determine or determining or determine or determining or scan or scanned or scanning or scanner or meter or metered or metering or gauge or gauged or gauging or acquire or acquired or acquiring or acquire or acquired or acquiring or telemeter or collection or collected or collecting or collection or collecter or collector or log or logged or logging or recorded or recorder or recordor or store or stored or storing or memorize or memorizing or memorization or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:19

S37	40406	S35 near5 (id or identify or identifying or identified or identification or diagnose or diagnosis or diagnostic or judge or judged or judging or judgment or judgement or judger or judger or evaluate or evaluated or evaluating or evaluation or evaluator or evaluater or analysis or analyze or analyzed or analyzing or analyzer or analyzor or estimate or estimated or estimater or estimator or predict or predicted or prediction or predictor or forecast or forecasted or forecaster or forecaster or calculated or calculate or calculated or calculator or calculater or interpolate or interpolation or interpolation or interpolation or extrapolate or extrapolated or extrapolating or extrapolated or extrapolating or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:19
		extrapolation or extrapolater or extrapolator)				
S38	12776	S36 same S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:20
S39	1335698	(history or historical or previous or prior or slope or trend or pattern or sequence or sequential or signature or trace or traced or tracing or trail or pipe or pipeline or chain or chained or chaining or string or strung or stringing) near3 (data or information or measured or measuring or measurement or test or testing or monitored or monitoring or detected or detecting or detection or detecter or detector or sensed or sensing or sensor or senser or transduced or transducer or sample or sampled or sampling or metered or metering or gauged or gauging or acquired or acquiring or acquisition or acquisitioning or acquirer or acquiror or telemetery or telemetering or telemeter or collected or logged or logging or logger or recording or recorded or storing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:20

S40	12607	S37 same S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:21
S41	4443578	(fault or failure or error or problem or malfunction or malfunctioning or defect or abnormal or abnormality or wear or wearing or worn or anomaly or health or maintenance or maintain or maintaining or repair or repairing or overhaul or overhauled or overhauling or good or pass or normal or fail or bad or corrupt or corruption or noise or static or distort or distorted or distorting or distortion or drift or drifted or drifting or vary or variance or varied or varying or variation or deviate or offset or depart or departed or departing or separated or separate or separated or separate or separating or require or required or requiring or required or required or required or required or max or maximum or high or higher or highest or upper or top or min or minimum or low or lower or lowest or bottom)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	N	2008/06/10
S42	590416	S41 near5 (detect or detected or detecting or detection or detecter or detector or sense or sensed or sensing or sensor or senser or transduce or transduced or transducing or transducer or sample or sampled or sampling or determine or determining or determination or determined or id or identify or identifying or identified or identification or diagnose or diagnosis or diagnostic or judge or judged or judgement or judgement or judger or judgor or evaluate or evaluated or evaluation or evaluation or evaluator or evaluator or evaluator or evaluator or evaluator or estimated or estimated or estimater or estimator or predict or prediction or predictor or predictor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		2008/06/10

		or forecast or forecasted or forecasting or forecaster or forecaster or calculate or calculated or calculating or calculation or calculator or calculater or interpolate or interpolated or interpolation or interpolator or interporlater or extrapolated or extrapolating or extrapolation or extrapolater or extrapolater or extrapolater or extrapolater or extrapolater or extrapolator)				
S43	3209	S36 same S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:24
S44	386920	S41 near (replace or replaced or replacing or replacement or update or updated or updating or switch or switched or switching or change or changed or changing or alter or altered or altering or alteration or modify or modified or modifying or modification or correct or corrected or correcting or correction or adjust or adjusted or adjusting or adjustment or choose or chosen or choosing or apply or applied or applying or application or generate or generated or generated or created or creating or creation or build or building or built or assign or assigned or assigning or assignment or assigner or assignor or learn or learnt or learning or teach or taught or teaching)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	S	2008/06/10
S45	110067	(S36 or S37 or S39) same S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:25
S46	439	S38 and S40 and S43 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:25
S47	3784828	X and (@pd<="20031031" or (@pd>="20031031" and (@ad<="20031031" or @prad<="20031031" or @rlad<="20031031")))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/10 16:25

S48	22	("4246652" "4360030" "4364397"	US-PGPUB;	OR	ON	2008/06/10
		"4365636" "4367753" "4417306"	USPAT; EPO;			16:31
		"5343870" "5433209" "6324486"	JPO;			
		"20030009399").pn.	DERWENT;			
			IBM_TDB			

6/16/2008 11:53:49 AM

C:\ Documents and Settings\ skundu\ My Documents\ EAST\ Workspaces\ 10698736b.wsp